



RENTAL SOLUTIONS

PIPE CUTTING AND
BEVELLING EQUIPMENT





#### **RENTAL SOLUTIONS**

S.F.E. Group provides rental solutions through its dedicated rental partner network in Europe and the Middle East for:

- > TAG PREP-series pipe bevel machines
- > TAG TSFC-series splitframe clamshell cutting and bevelling machines



### Your S.F.E. Group local rental partner:

HSOS Industrial Services BV, Jacobus Lipsweg 84, 3316 BP Dordrecht, The Netherlands

+31 78 - 61 72 461

info@hsos.eu



# **OUR RENTAL EQUIPMENT**



> Introduction to TAG	4
> Pipe bevelling	6
> Bevelling accessories	
> Pipe cold cutting and bevelling	1
> Cutting and bevelling accessories	1









## PIPE CUTTING AND BEVELLING

#### PIPE BEVELLING



### PIPE COLD CUTTING







TAG PIPE's range of cold cutting and bevelling machines is established and recognised as one of the **world's leading and prominent brands**.

The portfolio consists of a complete range of portable pipe bevel machines (PREP machines covering 1" - 24"), and the TAG PIPE cutting and bevelling splitframe clamshell machines covering (1" - 120").













# PIPE BEVELLING



#### PREP 2

Ø ½" to 1.5" i/d (23 to 42 mm)



### PREP 3

Ø 1" to 3" i/d (28 to 76 mm)



#### PREP 4

Ø 1" to 4" i/d (23 to 112 mm)



### PREP 8

Ø 2" to 8" i/d (50 to 207 mm)



External bevelling / internal bevelling / elbow and fittings bevelling / facing / counter-boring / weld removal / J-prepping / compound bevels. **Materials:** any kind of steel and exotic alloy. **Power:** pneumatic, electric or battery (PREP 2-3-4). For more details: please refer to the product catalogue or scan the QR code.







## PIPE BEVELLING



### **PREP 16**

Ø 3" to 16" i/d (72 to 385 mm)



### **PREP 24**

Ø 7" to 24" i/d (180 to 600 mm)



External bevelling / internal bevelling / facing / counter-boring / weld removal / J-prepping / compound bevels.

Materials: any kind of steel and exotic alloy. Power: servo electric, pneumatic or hydraulic.

For more details: please refer to the product catalogue or scan the QR code.





### **BEVELLING ACCESSORIES**

#### PREP MACHINES












FOR PREP 2, PREP 3, PREP 4 AND PREP 8





## **BEVELLING TOOLS**



All shapes, sizes and angles available







## COLD CUTTING AND BEVELLING

SPLIT FRAME CLAMSHELL









TSFC6 - TSFC24

TSFC30 - TSFC48

External bevelling / internal bevelling / counter-boring / compound bevels / J-prep bevelling Materials: any kind of steel and exotic alloy







## COLD CUTTING AND BEVELLING

### **MACHINE RANGE:**

	REF	TSFC6	TSFC8	TSFC12	TSFC16	TSFC18	TSFC20	TSFC24	TSFC30	TSFC36	TSFC42	TSFC48	TSFC60	TSFC75
O/D	inch	1" - 6"	2" - 8"	6" - 12"	10" - 16"	12" - 18"	14" - 20"	18" - 24"	24" - 30"	30" - 36"	36" - 42"	42" - 48"	48" - 60"	60" - 75"
	mm	33.7 - 184	60.3 - 235	168.3 - 350	273 - 425	323.8 - 477	355.6 - 528	457.2 - 640	609.6 - 800	762 - 956	914.4 - 1,108	1,066.8 - 1,280	1,220 - 1,524	1,524 - 1,910
RANGE		1 motor : servo electric / hydraulic / pneumatic					1 motor : servo electric / hydraulic / pneumatic							
	Motor	2 motors : double pneumatic / double servo electric							2 motors : double pneumatic / double servo electric					







## **CUTTING ACCESSORIES**

### **SPLIT FRAME CLAMSHELL**



For cutting/bevelling all materials up to 120mm / 4.7" wall thickness.



For cutting/bevelling all materials of up to 20mm / 0.8" wall thickness.



For cutting all materials up to 120mm / 4.7" wall thickness.





## **CUTTING TOOLS**

### SPLIT FRAME CLAMSHELL



All shapes, sizes and angles available

### FIXED ANGLE BEVEL



#### **COMPOUND BEVEL**



#### J PREP







NOTES	)
-------	---

and the state of t
[ M-10 J [ ] N [ 1 ] N
(B/LE < \\6\%\)   11   1/4
14. A. S. M.
Z755 MJRMJ X8X74 6 * *
KI K
N. X. P. N. C. P. C.
1.10 to 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2
RIVE A CONTRACT
THE THE TOTAL STATE OF STATE O



NOTES	
	[7] [7] [1] [1] [1]





### RENTAL SOLUTIONS



WWW.TAG-PIPE.COM

### Contact us:

HSOS Industrial Services BV, Jacobus Lipsweg 84, 3316 BP Dordrecht, The Netherlands +31 78 - 61 72 461















